

Abbeville Ballot Audit Report

Abbeville Ballot Audit Report
 Election: 2014 Primary Runoff
 Audit Date: 17:8:36, Thu Jun 26, 2014

Prec Nber	Precinct Name	EL30A				Audit				Comments
		Total	Opt	iVo	Flash	iVo	Opt	Man	Delta	
0001	Abbeville No. 1	161	0	161	0	161	0	0	0	
0002	Abbeville No. 2	64	0	64	0	64	0	0	0	
0003	Abbeville No. 3	63	0	63	0	63	0	0	0	
0004	Abbeville No. 4	36	0	36	0	36	0	0	0	
0005	Antreville	52	0	52	0	52	0	0	0	
0006	Broadmouth	16	0	16	0	16	0	0	0	
0007	Calhoun Falls	65	0	65	0	65	0	0	0	
0008	Cold Springs	86	0	86	0	86	0	0	0	
0009	Donalds	41	0	41	0	41	0	0	0	
0010	Due West	96	0	96	0	96	0	0	0	
0011	Hall's Store	63	0	63	0	63	0	0	0	
0012	Keowee	25	0	25	0	25	0	0	0	
0013	Lowndesville	41	0	41	0	41	0	0	0	
0014	Lebanon	66	0	66	0	66	0	0	0	
Precincts Total:		875	0	875	0	875	0	0	0	
0750	Absentee	97	62	35	0	35	0	62	0	
0800	Emergency	0	0	0	0	0	0	0	0	
0850	Fai I safe	2	0	2	0	2	0	0	0	
0900	Provi si onal	2	2	0	0	0	0	2	0	
0950	Fai I safe Provi si onal	0	0	0	0	0	0	0	0	
Virtual Precincts Total:		101	64	37	0	37	0	64	0	
Grand Total:		976	64	912	0	912	0	64	0	

NOTE: Any manual entries shown on this report are supported by the Manual Entry Log (EL68).

Auditor's Comments:

Total number of iVotronic ballots cast containing no votes: 6
 The following precincts have no ballots cast in them: Emergency, Fai I safe Provi si onal
 This audit is complete and has no exceptions.

EL30A iVo to EL155 to EL152 Cross Check and Cancelled Ballots.

EL30A Ivo Ballots	EL155 Ballots	EL152 Ballots
912	912	912
Delta from EL30A	0	0
	Delta from EL155	0
	Cast By Voter	912
	Cast By Poll Wkr	0
	Bl ank Cast by PW	0

Abbeville Ballot Audit Report

Cancelled Ballots	2	
Wrong Ballot	0	
Voter Left AB	0	(AB = After ballot selected by poll worker.)
Voter Left BB	0	(BB = Before ballot selected by poll worker.)
Voter Request	0	
Printer Problem	0	
Terminal Problem	2	
Other Reason	0	

Note: The following machines(s) have audit records but no ballots were cast on them: 5122429
 Because they do not have ballots cast, they cannot be matched to a precinct. This is not
 an issue as long as the EL30A Ivo Ballots, the EL155 Ballots and the EL152 Ballots match
 in the table immediately above.

How to read this report.

This is the ballot level report. It compares the number of ballots cast in the tabulation report,
 the EL30A with the number of ballots cast in the audit data.

The values read from the EL30A report are reported in four categories; Total, Optical (Opt),
 iVotronic (iVo) and Flash. None of these values on each line are calculated but parsed from
 the actual report. The total lines are the calculated sums of the individual precinct line values.

The Opt totals are the total number of ballots cast on paper ballots that were scanned into the optical
 scanner and transferred to the tabulation computer via memory stick or ZipDisk (depending on the type
 of device, M100 or M650 used to scan the ballots.) Optical totals should exist only in some but not all
 of the Virtual Precincts at the bottom of the table.

The iVo totals are the results gathered from the PEBs (Personal Electronic Ballot) which are used
 to open and close an iVotronic voting machine and, after the polls have closed, gather the ballots
 cast for transmission to the tabulation system.

The Flash totals are the totals that are read from the flash cards in the rare event that the ballots
 cannot be copied from the machine to the PEB or from the PEB to the tabulating machine.

The values on the Audit side come from the iVotronic audit data that is read from the flash cards as
 part of the audit process. That process combines the individual machine data into two master audit
 files, the EL155 Vote image log and the EL152 iVotronic event log.
 The EL155 contains a record of all the votes cast on a ballot. The vote images indicate the machine
 counting the number of asterisks in a precinct we get the number of ballots cast in that precinct. That
 number should always match the number in the iVo column on the EL30A side of the report.

Optical ballots do not have electronically readable audit files. So if the audit data iVotronic total
 does not match the EL30A Total value, the auditor is prompted to read the paper report from the optical
 scanner and enter the total ballots cast into the auditing program.

If the sum of the audit iVotronic and Optical ballots cast still do not match the EL30A total value, then
 the audit software reads the EL68 Manual Entry Log for any changes made in that precinct to either the iVo
 or Opt totals by the CEC staff. It displays any manual entries to the auditor for inclusion into the totals.

Abbeville Ballot Audit Report

If accepted by the auditor these entries are automatically added to the Man column from the Manual Entry Log.

Finally, the audit software calculates the Delta value which should be zero unless the sum of the iVo, the Opt and the Man do not match the EL30A Total column. If the Delta is greater than zero then audit data is missing. A comment will be placed on that line in the report indicating missing audit data. If the Delta value is less than zero then there are more ballots in the audit data than there are in the tabulated data and a comment will be placed on that line in the report.

Wherever possible, the audit system will attempt to indicate where the difference is by displaying the iVotronic machine numbers and the number of ballots cast on that machine that exist in the audit data. In the case of missing tabulated data, it might be possible to identify a machine that has the same number of ballots cast as the delta value and that number and ballot count will be highlighted with a < sign. If there is a non zero Delta value there will be an entry by the auditor explaining the variance.

Finally, there is a EL30A iVo to EL155 to EL152 Cross Check and Cancelled Ballots table in the report. This table should indicate that the number ballots cast in the EL30A match the numbers in the EL155 and the EL152 report. Then there are some statistics pulled from the EL152 report that indicate how many ballots were cast by the voter and the number cast by the poll worker. Lastly the number of ballots that were cancelled and the reason they were cancelled. It should be noted that the reason cancelled is chosen from a pull down menu presented to the poll worker when a ballot is cancelled, there is no way to validate the poll worker's choice.

Abbeville Vote Level Audit Report
 Election: 2014 Primary Runoff
 Audit Date: 17:9:26, Thu Jun 26, 2014

Abbeville Vote Audit

Precinct Number / Name Office	Candidate	Party	EL30A				Audit		Comments
			Total	Optical	iVo	Flash	iVo	Delta	
0001 Abbeville No. 1									
DEM - State Superintendent of Education	Sheila C Gallagher		8	0	8	0	8	0	
DEM - State Superintendent of Education	Tom Thompson		9	0	9	0	9	0	
REP - Lieutenant Governor	Mike Campbell		67	0	67	0	67	0	
REP - Lieutenant Governor	Henry McMaster		75	0	75	0	75	0	
REP - State Superintendent of Education	Sally Atwater		46	0	46	0	46	0	
REP - State Superintendent of Education	Molly Mitchell Spearman		98	0	98	0	98	0	
0002 Abbeville No. 2									
DEM - State Superintendent of Education	Sheila C Gallagher		6	0	6	0	6	0	
DEM - State Superintendent of Education	Tom Thompson		13	0	13	0	13	0	
REP - Lieutenant Governor	Mike Campbell		19	0	19	0	19	0	
REP - Lieutenant Governor	Henry McMaster		24	0	24	0	24	0	
REP - State Superintendent of Education	Sally Atwater		11	0	11	0	11	0	
REP - State Superintendent of Education	Molly Mitchell Spearman		33	0	33	0	33	0	
0003 Abbeville No. 3									
DEM - State Superintendent of Education	Sheila C Gallagher		4	0	4	0	4	0	
DEM - State Superintendent of Education	Tom Thompson		10	0	10	0	10	0	
REP - Lieutenant Governor	Mike Campbell		18	0	18	0	18	0	
REP - Lieutenant Governor	Henry McMaster		30	0	30	0	30	0	
REP - State Superintendent of Education	Sally Atwater		15	0	15	0	15	0	
REP - State Superintendent of Education	Molly Mitchell Spearman		33	0	33	0	33	0	
0004 Abbeville No. 4									
DEM - State Superintendent of Education	Sheila C Gallagher		2	0	2	0	2	0	
DEM - State Superintendent of Education	Tom Thompson		8	0	8	0	8	0	
REP - Lieutenant Governor	Mike Campbell		9	0	9	0	9	0	
REP - Lieutenant Governor	Henry McMaster		17	0	17	0	17	0	
REP - State Superintendent of Education	Sally Atwater		6	0	6	0	6	0	
REP - State Superintendent of Education	Molly Mitchell Spearman		20	0	20	0	20	0	
0005 Antreville									
DEM - State Superintendent of Education	Sheila C Gallagher		1	0	1	0	1	0	
DEM - State Superintendent of Education	Tom Thompson		3	0	3	0	3	0	
REP - Lieutenant Governor	Mike Campbell		22	0	22	0	22	0	
REP - Lieutenant Governor	Henry McMaster		25	0	25	0	25	0	
REP - State Superintendent of Education	Sally Atwater		17	0	17	0	17	0	
REP - State Superintendent of Education	Molly Mitchell Spearman		31	0	31	0	31	0	
0006 Broadmouth									
DEM - State Superintendent of Education	Sheila C Gallagher		2	0	2	0	2	0	
DEM - State Superintendent of Education	Tom Thompson		0	0	0	0	0	0	* No Audit Data expected or found
REP - Lieutenant Governor	Mike Campbell		9	0	9	0	9	0	

			Abbeville	Vote	Audit				
REP - Lieutenant Governor	Henry McMaster		5	0	5	0	5	0	
REP - State Superintendent of Education	Sally Atwater		5	0	5	0	5	0	
REP - State Superintendent of Education	Molly Mitchell Spearman		8	0	8	0	8	0	
0007 Calhoun Falls									
DEM - State Superintendent of Education	Sheila C Gallagher		5	0	5	0	5	0	
DEM - State Superintendent of Education	Tom Thompson		24	0	24	0	24	0	
REP - Lieutenant Governor	Mike Campbell		15	0	15	0	15	0	
REP - Lieutenant Governor	Henry McMaster		20	0	20	0	20	0	
REP - State Superintendent of Education	Sally Atwater		19	0	19	0	19	0	
REP - State Superintendent of Education	Molly Mitchell Spearman		15	0	15	0	15	0	
0008 Cold Springs									
DEM - State Superintendent of Education	Sheila C Gallagher		4	0	4	0	4	0	
DEM - State Superintendent of Education	Tom Thompson		2	0	2	0	2	0	
REP - Lieutenant Governor	Mike Campbell		36	0	36	0	36	0	
REP - Lieutenant Governor	Henry McMaster		43	0	43	0	43	0	
REP - State Superintendent of Education	Sally Atwater		19	0	19	0	19	0	
REP - State Superintendent of Education	Molly Mitchell Spearman		61	0	61	0	61	0	
0009 Donalds									
DEM - State Superintendent of Education	Sheila C Gallagher		0	0	0	0	* No Audit Data expected or found		
DEM - State Superintendent of Education	Tom Thompson		4	0	4	0	4	0	
REP - Lieutenant Governor	Mike Campbell		12	0	12	0	12	0	
REP - Lieutenant Governor	Henry McMaster		25	0	25	0	25	0	
REP - State Superintendent of Education	Sally Atwater		11	0	11	0	11	0	
REP - State Superintendent of Education	Molly Mitchell Spearman		26	0	26	0	26	0	
0010 Due West									
DEM - State Superintendent of Education	Sheila C Gallagher		14	0	14	0	14	0	
DEM - State Superintendent of Education	Tom Thompson		12	0	12	0	12	0	
REP - Lieutenant Governor	Mike Campbell		25	0	25	0	25	0	
REP - Lieutenant Governor	Henry McMaster		42	0	42	0	42	0	
REP - State Superintendent of Education	Sally Atwater		24	0	24	0	24	0	
REP - State Superintendent of Education	Molly Mitchell Spearman		44	0	44	0	44	0	
0011 Hall's Store									
DEM - State Superintendent of Education	Sheila C Gallagher		5	0	5	0	5	0	
DEM - State Superintendent of Education	Tom Thompson		1	0	1	0	1	0	
REP - Lieutenant Governor	Mike Campbell		24	0	24	0	24	0	
REP - Lieutenant Governor	Henry McMaster		31	0	31	0	31	0	
REP - State Superintendent of Education	Sally Atwater		13	0	13	0	13	0	
REP - State Superintendent of Education	Molly Mitchell Spearman		43	0	43	0	43	0	
0012 Keowee									
DEM - State Superintendent of Education	Sheila C Gallagher		1	0	1	0	1	0	
DEM - State Superintendent of Education	Tom Thompson		4	0	4	0	4	0	
REP - Lieutenant Governor	Mike Campbell		7	0	7	0	7	0	
REP - Lieutenant Governor	Henry McMaster		13	0	13	0	13	0	
REP - State Superintendent of Education	Sally Atwater		6	0	6	0	6	0	
REP - State Superintendent of Education	Molly Mitchell Spearman		14	0	14	0	14	0	

Abbeville Vote Audit

0013	Lowndesville								
DEM - State Superintendent of Education	Sheila C Gallagher	1	0	1	0	1	0		
DEM - State Superintendent of Education	Tom Thompson	5	0	5	0	5	0		
REP - Lieutenant Governor	Mike Campbell	11	0	11	0	11	0		
REP - Lieutenant Governor	Henry McMaster	23	0	23	0	23	0		
REP - State Superintendent of Education	Sally Atwater	9	0	9	0	9	0		
REP - State Superintendent of Education	Molly Mitchell Spearman	25	0	25	0	25	0		
0014	Lebanon								
DEM - State Superintendent of Education	Sheila C Gallagher	7	0	7	0	7	0		
DEM - State Superintendent of Education	Tom Thompson	7	0	7	0	7	0		
REP - Lieutenant Governor	Mike Campbell	30	0	30	0	30	0		
REP - Lieutenant Governor	Henry McMaster	21	0	21	0	21	0		
REP - State Superintendent of Education	Sally Atwater	9	0	9	0	9	0		
REP - State Superintendent of Education	Molly Mitchell Spearman	42	0	42	0	42	0		
0750	Absentee								
DEM - State Superintendent of Education	Sheila C Gallagher	19	10	9	0	9	0		
DEM - State Superintendent of Education	Tom Thompson	29	23	6	0	6	0		
REP - Lieutenant Governor	Mike Campbell	25	12	13	0	13	0		
REP - Lieutenant Governor	Henry McMaster	24	17	7	0	7	0		
REP - State Superintendent of Education	Sally Atwater	23	18	5	0	5	0		
REP - State Superintendent of Education	Molly Mitchell Spearman	25	10	15	0	15	0		
0800	Emergency								
DEM - State Superintendent of Education	Sheila C Gallagher	0	0	0	0	* No Audit Data expected or found			
DEM - State Superintendent of Education	Tom Thompson	0	0	0	0	* No Audit Data expected or found			
REP - Lieutenant Governor	Mike Campbell	0	0	0	0	* No Audit Data expected or found			
REP - Lieutenant Governor	Henry McMaster	0	0	0	0	* No Audit Data expected or found			
REP - State Superintendent of Education	Sally Atwater	0	0	0	0	* No Audit Data expected or found			
REP - State Superintendent of Education	Molly Mitchell Spearman	0	0	0	0	* No Audit Data expected or found			
0850	Fail safe								
DEM - State Superintendent of Education	Sheila C Gallagher	0	0	0	0	* No Audit Data expected or found			
DEM - State Superintendent of Education	Tom Thompson	1	0	1	0	1	0		
REP - Lieutenant Governor	Mike Campbell	1	0	1	0	1	0		
REP - Lieutenant Governor	Henry McMaster	0	0	0	0	* No Audit Data expected or found			
REP - State Superintendent of Education	Sally Atwater	0	0	0	0	* No Audit Data expected or found			
REP - State Superintendent of Education	Molly Mitchell Spearman	1	0	1	0	1	0		
0900	Provisional								
DEM - State Superintendent of Education	Sheila C Gallagher	0	0	0	0	* No Audit Data expected or found			
DEM - State Superintendent of Education	Tom Thompson	0	0	0	0	* No Audit Data expected or found			
REP - Lieutenant Governor	Mike Campbell	0	0	0	0	* No Audit Data expected or found			
REP - Lieutenant Governor	Henry McMaster	2	2	0	0	* All votes cast for this candidate in this precinct are optical.			
						* No Audit Data for optical.			
REP - State Superintendent of Education	Sally Atwater	0	0	0	0	* No Audit Data expected or found			
REP - State Superintendent of Education	Molly Mitchell Spearman	2	2	0	0	* All votes cast for this candidate in this precinct are optical.			
						* No Audit Data for optical.			

Abbeville Vote Audit

0950	Fail safe Provisional						
DEM	- State Superintendent of Education	Sheila C Gallagher	0	0	0	0	* No Audit Data expected or found
DEM	- State Superintendent of Education	Tom Thompson	0	0	0	0	* No Audit Data expected or found
REP	- Lieutenant Governor	Mike Campbell	0	0	0	0	* No Audit Data expected or found
REP	- Lieutenant Governor	Henry McMaster	0	0	0	0	* No Audit Data expected or found
REP	- State Superintendent of Education	Sally Atwater	0	0	0	0	* No Audit Data expected or found
REP	- State Superintendent of Education	Molly Mitchell Spearman	0	0	0	0	* No Audit Data expected or found
There was no unmatched audit data							

How to read this report.

This is the vote level report. It compares the number of votes cast for each candidate in the tabulation report with the number of ballots cast in the audit data for each candidates in each precinct.

The tabulated values as read from the EL30A report are reported in four categories; Total, Optical (Opt), iVotronic (iVo) and Flash. None of these values on each line are calculated but parsed from the actual report. In the EL30A report all Write-in votes are added together and reported as one candidate name - Write-in. The EL30A does not report individual Write-in candidates.

The Opt totals are the total number of votes cast on paper ballots that were scanned into the optical scanner and transferred to the tabulation computer via memory stick or ZipDisk (depending on the type of device, M100 or M650 used to scan the ballots.) Optical totals should exist only in some but not all of the Virtual Precincts at the bottom of the table.

The iVo totals are the results gathered from the PEBs (Personal Electronic Ballot) which are used to open and close an iVotronic voting machine and, after the polls have closed, gather the ballots cast for transmission to the tabulation system.

The Flash totals are the totals that are read from the flash cards in the rare event that the ballots cannot be copied from the machine to the PEB or from the PEB to the tabulating machine.

The values on the Audit side come from the iVotronic audit data that is read from the flash cards as part of the audit process. That process combines the individual machine data into a master audit file, the EL155 Vote image log.

The EL155 contains a record of all the votes cast on a ballot. The vote images indicate the machine counting the number of times a candidate name for a contest appears in a precinct we get the number of votes cast in that precinct for that candidates. That number should always match the number of votes cast for that candidate in that contest in the iVo column on the EL30A side of the report.

Optical ballots do not have electronically readable audit files. So if the audit data iVotronic total votes does not match the EL30A iVo value one of two things will occur. The first is if the iVotronic tabulated is zero and the Total tabulated votes match the tabulated Optical votes the following comment is made in the Audit side of the report; All votes cast for this candidate in this precinct are optical No Audit Data for optical, or secondly, if the iVotronic total is not zero, a notation indicating which data Audit data In the event a candidate or the combined Write-in candidates did not receive any votes in a precinct the EL30A will report a zero vote count. If there are no votes for this candidate in a precinct in the audit data, the following comment will be placed into the audit report by the auditing software; No Audit Data expected or

Abbeville Vote Audit

found.

Finally the audit software will search the audit data for any votes that were not found on the EL30A report. If it finds some, it will report those vote totals by contest, candidate name and precinct. if it does not find any unmatched audit data it will report; There was no unmatched audit data

Abbeville EL30A45A Compare

Abbeville EL30A45A Comparison Report
 Election: 2014 Primary Runoff
 Audit Date: 17:9:21, Thu Jun 26, 2014

Office	Candidate	Party	EL30A				EL45A				Delta
			Tot	Opt	iVo	Flash	Tot	Opt	iVo	Flash	
State Superintendent of Education	Sheila C Gallagher		79	10	69	0	79	10	69	0	0
State Superintendent of Education	Tom Thompson		132	23	109	0	132	23	109	0	0
Lieutenant Governor	Mike Campbell		330	12	318	0	330	12	318	0	0
Lieutenant Governor	Henry McMaster		420	19	401	0	420	19	401	0	0
State Superintendent of Education	Sally Atwater		233	18	215	0	233	18	215	0	0
State Superintendent of Education	Molly Mitchell Spearman		521	12	509	0	521	12	509	0	0

How to read this report.

This is EL30A EL45A Crosscheck Report. It sums each candidates vote totals in each precinct in the EL30A Precinct Detail Report and compares it to the EL45A Election Summary Report that contains the tabulated total for each candidate in the county.

The values read from the EL30A report are reported in four categories; Total, Optical (Opt), iVotronic (iVo) and Flash. None of these values on each line are calculated but parsed from the actual report. The total lines are the calculated sums of the individual precince line values.

The Opt totals are the total number of votes cast on paper ballots that were scanned into the optical scanner and transferred to the tabulation computer via memory stick or ZipDisk (depending on the type of device, M100 or M650 used to scan the ballots.) Optical totals should exist only in some but not all of the Virtual Precincts at the bottom of the table.

The iVo totals are the results gathered from the PEBs (Personal Electronic Ballot) which are used to open and close an iVotronic voting machine and, after the polls have closed, gather the ballots cast for transmission to the tabulation system.

The Flash totals are the totals that are read from the flash cards in the rare event that the ballots cannot be copied from the machine to the PEB or from the PEB to the tabulating machine.

The values read from the EL45A report are reported in same four categories; Total, Optical (Opt), iVotronic (iVo) and Flash as the EL30A. Like the EL30A they are parsed from the actual EL45A report. The summary candidate totals are compared against the calculated sums for each candidate from the EL30A report. Each of the values in each line on the EL30A side must match the same value on the EL45A side and the Delta value must be zero.

Abbeville PEB Use Report
 Election: 2014 Primary Runoff
 Audit Date: 17:8:36, Thu Jun 26, 2014

Precinct	PEBs Used	Comments
Abbeville No. 1	138042	
Abbeville No. 2	150638	
Abbeville No. 3	139574	
Abbeville No. 4	148644	
Antreville	136865	
Broadmouth	148705	
Calhoun Falls	138662	
Cold Springs	151660	
Donalds	150210	
Due West	138583	
Hall's Store	138400	
Keowee	138612	
Lowndesville	138781	
Lebanon	139784	
Absentee	137997	
Fail safe	137997	

16 precincts processed

The following precinct(s) have no ballots cast in them: Emergency, Fail safe Provisional
 Note: if there are no ballots cast in a precinct the machines in that precinct cannot be identified so these precinct(s) will not appear in this report.

How to read this report.

This is the PEB Used report. It lists the precincts found in the Audit data and lists all the PEBs that were used by the poll workers to open and close the iVotronic machines in that precinct.

If more than one PEB is used to open and close all the iVotronic machines in a precinct, then the County Election Commission must read ALL the PEBs used in that precinct to assure that they have collected all the ballots from that precinct. A county whose report shows a precinct that has machines open or closed by more than one PEB should double check the Ballot Audit Report against the iVotronic paper tapes and the Poll Book to make sure that all the ballots have been collected and tabulated.

Abbeville PEBExceptionsReport

Abbeville PEB Exceptions Report
 Election: 2014 Primary Runoff
 Election date: 06/24/2014
 Audit Date: 17: 8: 36, Thu Jun 26, 2014

iVo #	Op PEB	Open Time	Cl PEB	Close Time	Exception Type	Precinct - Ballots Cast
5118425	137997	06/18/2014 09: 18: 01	137997	06/24/2014 19: 09: 06	>>Open Date<<	Absentee - 21 Fail safe - 2
5118425	137997	06/18/2014 09: 18: 01	137997	06/24/2014 19: 09: 06	Open Time	Absentee - 21 Fail safe - 2
5120096	137997	06/18/2014 09: 15: 11	137997	06/24/2014 19: 06: 29	>>Open Date<<	Absentee - 14
5120096	137997	06/18/2014 09: 15: 11	137997	06/24/2014 19: 06: 29	Open Time	Absentee - 14
5130917	139574	08/02/2014 11: 25: 46	139574	06/24/2014 19: 09: 33	>>Open Date<<	Abbeville No. 3 - 22
5130917	139574	08/02/2014 11: 25: 46	139574	06/24/2014 19: 09: 33	Open Time	Abbeville No. 3 - 22
5138543	150210	06/24/2014 07: 51: 11	150210	06/24/2014 19: 06: 21	Open Time	Donalds - 20

The following machines(s) have audit records but no ballots were cast on them: 5122429
 Because they do not have ballots cast, they cannot be matched to a precinct.

How to read this report.

This is the PEB Exceptions Report. It checks for the following conditions in the iVotronic Event Log;

- 1: A machine that was opened and closed by different PEBs
- 2: A Machine that was not opened on Election Date - could be either an absentee or test machine
- 3: A Machine that was not closed on Election Date - could have had problem closing
- 4: A Machine that was not opened by 7 am - note most Absentee machines will show up here
- 5: A Machine that was closed before 7pm - polls close at 7 PM
- 6: A Machine that was not closed ever.
- 7: A machine that has no ballots cast on it.

Each of the events above detected are reported on a separate line, each line contains the following information:
 iVotronic machine number, Opening PEB Number, Open Time, Closing PEB Number, Closing Time, the Exception Type and the Precinct and the Ballots Cast on that machine.

Absentee and Failsafe precinct machines are opened during the middle of the day several days before the election date of 06/24/2014. So it is normal for these machines to appear on this report with Open Date and Open Time exceptions.